

Foodservice, Supermarket & Hospitality Storage Systems



LPI ECONOMY

www.spgusa.com

EXPECT MORE



STORAGE PRODUCTS GROUP

LPI Economy by SPG.

We manufacture great products at our facilities — and create efficient solutions for yours.

LPI is the ideal choice for any application in which lighter-duty wire shelving is sufficient and quality and economy are a must. This value-driven round post shelving is a good solution for both dry and refrigerated storage needs — with each 48" shelf rated to support up to 800 lbs. of uniformly distributed static load weight. It's also fast and easy to assemble and offers a complete complement of accessories for a fully customized storage solution.

LPI isn't alone in the quest to provide the right product for every foodservice application. In fact, it is only one of six SPG lines dedicated to serving the foodservice industry. Along with ISS, AMCO, Universal Stainless, Kelmax and Freestyle — SPG offers the most comprehensive line of foodservice equipment available anywhere.

At SPG, we match the quality of our products with superior service. That means fast, efficient delivery of your order — and it also means that we'll work with you to evaluate your

space, understand your needs, and uncover opportunities to maximize the efficiency and economy of your operation. Then, based on your input, we'll help you select the right products or create unique solutions, and incorporate them into a design that optimizes the functionality of your space, increases the efficiency of your staff, and maximizes the long-term value of your investment.

You can always Expect More from SPG.

For customer service and more information, contact us toll-free:

877.503.4SPG
(877.503.4774)


SPGUSA.com



Most of the foodservice products we manufacture meet NSF standards. For specific items, visit www.nsf.org.

Table of Contents

4	Shelving Overview	11	Wine Storage
4	Shelving Kit Convenience Packs	12	Security Units
5	Posts	13	Utility Carts
6	Shelves	14	Terms & Conditions
7	Accessories		




We have manufacturing and distribution facilities throughout the United States and Mexico.

SHELVING

Overview

- LPI round post shelving is a good solution for both dry and refrigerated storage needs
- Each 48" shelf is rated to support up to 800 lbs (363 kgs) of uniformly distributed static load weight. Longer shelves can support up to 600 lbs (272 kgs)
- Shelving systems can be assembled in minutes, without the need for tools or hardware
- Shelves are installed on the posts on 1" (25mm) increments - and can be changed easily as storage needs change
- Available in Plating Plus™ for display and storage in dry environments, and Green Epoxy for storage in environments where moisture and humidity may lead to rapid corrosion of unprotected shelves



Plating Plus™ is warranted for one year against corrosion in dry environments. Green Epoxy is warranted under normal use for seven years against naturally occurring corrosion.

LPI Shelving is warranted to be free from manufacturing defects for one year from the date of shipment.



Shelving Kits

Convenience Packs

- Each kit contains 4 shelves and four 70" split posts
- Available in Plating Plus™ and Green Epoxy finishes

Plating Plus™ Model No.	Green Epoxy Model No.	W x L x H		Weight	
		(In.)	(mm.)	(Lbs.)	(Kg.)
1836KIT	1836KITGN	18 x 36 x 70	457 x 914 x 1778	54	24.5
1848KIT	1848KITGN	18 x 48 x 70	457 x 1219 x 1778	64	29.1
1860KIT	1860KITGN	18 x 60 x 70	457 x 1524 x 1778	84	38.2
2436KIT	2436KITGN	24 x 36 x 70	610 x 914 x 1778	68	30.9
2448KIT	2448KITGN	24 x 48 x 70	610 x 1219 x 1778	70	31.8
2460KIT	2460KITGN	24 x 60 x 70	610 x 1524 x 1778	92	41.8

Posts

- For stationary use
- Posts are packed 4 per carton. NO BROKEN CARTONS

Plating Plus™ Model No.	Green Epoxy Model No.	Height		Weight	
		(In.)	(mm.)	(Lbs.)	(Kg.)
MG007C	MG007GN	7	178	1/2	0.3
MG034C	MG034GN	34	838	2	0.9
MG054C	MG054GN	54	1372	3	1.4
MG064C	MG064GN	64	1626	3 1/2	1.6
MG072C	MG072GN	72	1829	4	1.8
MG084C	MG084GN	84	2134	5	2.3



Post for Stationary Use

Posts with No Foot

- For use with Stem Casters

Plating Plus™ Model No.	Green Epoxy Model No.	Height		Weight	
		(In.)	(mm.)	(Lbs.)	(Kg.)
MG064NFC	MG064NFGN	64	1626	3 1/2	1.6
MG072NFC	MG072NFGN	72	1829	4	1.8



Post for Stem Casters

SHELVES

Wire Shelves

- Available in 4 widths
- Shelves up to 48" long are packed 4 per carton
- Shelves 54" to 72" are packed 2 per carton
- NO BROKEN CARTONS



Wire Shelving
MA1836C

Plating Plus™ Model No.	Green Epoxy Model No.	W x L (In.) (mm.)		Weight (Lbs.) (Kg.)	
14" Wide Shelves					
MA1424C	MA1424GN	14 x 24	356 x 610	6	2.7
MA1430C	MA1430GN	14 x 30	356 x 762	7	3.2
MA1436C	MA1436GN	14 x 36	356 x 914	8	3.6
MA1442C	MA1442GN	14 x 42	356 x 1067	9½	4.3
MA1448C	MA1448GN	14 x 48	356 x 1219	10½	4.7
MA1460C	MA1460GN	14 x 60	356 x 1524	14	6.3
MA1472C	MA1472GN	14 x 72	356 x 1829	17	7.7
18" Wide Shelves					
MA1824C	MA1824GN	18 x 24	457 x 610	7	3.2
MA1830C	MA1830GN	18 x 30	457 x 762	8	3.6
MA1836C	MA1836GN	18 x 36	457 x 914	9½	4.3
MA1842C	MA1842GN	18 x 42	457 x 1067	11	5
MA1848C	MA1848GN	18 x 48	457 x 1219	12	5.4
MA1854C	MA1854GN	18 x 54	457 x 1372	14½	6.6
MA1860C	MA1860GN	18 x 60	457 x 1524	17	7.7
MA1872C	MA1872GN	18 x 72	457 x 1829	20	9.1
21" Wide Shelves					
MA2124C	MA2124GN	21 x 24	533 x 610	8	3.6
MA2130C	MA2130GN	21 x 30	533 x 762	9	4.1
MA2136C	MA2136GN	21 x 36	533 x 914	11	5
MA2142C	MA2142GN	21 x 42	533 x 1067	12	5.4
MA2148C	MA2148GN	21 x 48	533 x 1219	14	6.4
MA2154C	MA2154GN	21 x 54	533 x 1372	16	7.3
MA2160C	MA2160GN	21 x 60	533 x 1524	18	8.2
MA2172C	MA2172GN	21 x 72	533 x 1829	24	10.9
24" Wide Shelves					
MA2424C	MA2424GN	24 x 24	610 x 610	9	4.1
MA2430C	MA2430GN	24 x 30	610 x 762	11	5
MA2436C	MA2436GN	24 x 36	610 x 914	13	5.9
MA2442C	MA2442GN	24 x 42	610 x 1067	15	6.8
MA2448C	MA2448GN	24 x 48	610 x 1219	16	7.3
MA2454C	MA2454GN	24 x 54	610 x 1372	19	8.6
MA2460C	MA2460GN	24 x 60	610 x 1524	21	9.5
MA2472C	MA2472GN	24 x 72	610 x 1829	26	11.8

Cantilever Shelves

- Great for storing small items between full size shelves, or use as a top shelf
- Available in Plating Plus™ finish
- 4 shelves per carton



Cantilever Shelving
MO836

Plating Plus™ Model No.	W x L (In.)	Weight (Lbs.)
MO836	8 x 36	5
MO848	8 x 48	6

Clear Plastic Shelf Cover

- Great for storing smaller items
- Has a 1" lip around edges
- Prevents liquid from dripping onto the shelf below should the storage items leak

Model No.	W x L		Weight	
	(In.)	(mm.)	(Lbs.)	(Kg.)
1824CPSG	18 x 24	457 x 609.6	1½	0.7
1836CPSG	18 x 36	457 x 914.4	2	0.9
1848CPSG	18 x 48	457 x 1219	2½	1.1
1860CPSG	18 x 60	457 x 1524	3	1.4
2424CPSG	24 x 24	610 x 609.6	2	0.9
2436CPSG	24 x 36	610 x 914.4	2½	1.1
2448CPSG	24 x 48	610 x 1219	3¼	1.5
2460CPSG	24 x 60	610 x 1524	4	1.8



Clear Plastic Shelf Cover

Shelf Ledges

- Helps prevent goods from falling off the back or sides of shelves
- Ledges mount to posts and can be stacked on top of each other for additional height
- Height 6"

Plating Plus™ Model No.	Green Epoxy Model No.	Fits Shelf Width or Length		Weight	
		(In.)	(mm.)	(Lbs.)	(Kg.)
LU14C	LU14GN	14	356	½	0.2
LU18C	LU18GN	18	457	½	0.2
LU21C	LU21GN	21	533	¾	0.3
LU24C	LU24GN	24	610	1	0.5
LU30C	LU30GN	30	762	1½	0.7
LU36C	LU36GN	36	914	1½	0.7
LU42C	LU42GN	42	1067	2	0.9
LU48C	LU48GN	48	1219	2	0.9
LU54C	LU54GN	54	1372	2¼	1
LU60C	LU60GN	60	1524	2½	1.1
LU72C	LU72GN	72	1829	3	1.4



Shelf Ledge

Shelf Dividers

- For efficient shelf organization
- Order by shelf width.
- Height 8"

Plating Plus™ Model No.	Green Epoxy Model No.	Fits Shelf Width		Weight	
		(In.)	(mm.)	(Lbs.)	(Kg.)
SDU14C	SDU14GN	14	356	¾	0.3
SDU18C	SDU18GN	18	457	1	0.4
SDU21C	SDU21GN	21	533	1	0.4
SDU24C	SDU24GN	24	610	1¼	0.5



Shelf Dividers

ACCESSORIES

Shelf Label Holders

- Holders fit on all LPI wire shelves
- Snaps onto front of shelf

Label holders for adhesive labels

- Attach adhesive label to flat face of holder. Labels not included
- Available in blue only

Model No.	Length (In.)	Fits Shelf Length (In.)	For Labels W x L (In.)
PFBM3	3	All	Up to 1 ³ / ₈ x 3
PFBM24	20	24	Up to 1 ³ / ₈ x 20
PFBM30	26	30	Up to 1 ³ / ₈ x 26
PFBM36	32	36	Up to 1 ³ / ₈ x 32
PFBM42	38	42	Up to 1 ³ / ₈ x 38
PFBM48	44	44	Up to 1 ³ / ₈ x 44
PFBM60	56	56	Up to 1 ³ / ₈ x 56
PFBM72	68	68	Up to 1 ³ / ₈ x 68



PFBM3

Label Holders for Paper Labels - Slotted Style

- Insert paper label from side
- Model LPBM3 is available in grey, all others available in black only

Model No.	Length (In.)	Fits Shelf Length (In.)	For Labels W x L (In.)
LPBM3	2 ³ / ₄	All	1 ¹ / ₄ x 2 ³ / ₄
BM1	3	All	1 x 3
BM24	20	24	1 x 20
BM36	32	36	1 x 32
BM48	44	48	1 x 44
BM60	56	60	1 x 56
BM72	68	72	1 x 68



BM1



LPBM3

Label Holder for Paper Labels - Clear covered style

- Insert paper label from side (SHLAB) or top (PTBM)
- Label is protected by clear plastic face
- Available in clear only

Model No.	Length (In.)	Fits Shelf Length (In.)	For Labels W x L (In.)
SHLAB3	2 ³ / ₄	All	1 ¹ / ₄ x 2 ³ / ₄
SHLAB2	5 ¹ / ₂	All	1 ¹ / ₄ x 5 ¹ / ₂
PTBM36	32	36	1 ¹ / ₄ x 32
PTBM48	44	48	1 ¹ / ₄ x 44



SHLAB3



PTBM36


Casters

- Two types of casters are available. Economical 5" poly casters are available for light-duty applications. When strength and durability are important, the 5" resilient casters are recommended. Additional caster options can be found on page 45.

5" Poly Casters

- Non-marking polyurethane casters, 5" diameter
- Sold as a set of 4: Two swivel casters plus two swivel with brake casters
- Load rating for the set: 250 lbs
- Casters are threaded and are to be used with standard posts

Model No.	Description	Weight	
		(Lbs.)	(Kg.)
IMPCAS5	Set of 4: two swivel and 2 swivel w/ brake	6	2.7



5" Poly Casters

5" Resilient Casters

- Long lasting casters with 1 1/4" face and 5" diameter
- Sold separately
- Load rating for 4 casters: 800 lbs
- Casters have solid stems and are to be used with Posts with No Foot

Model No.	Description	Weight	
		(Lbs.)	(Kg.)
CM5M	Swivel	2 ³ / ₄	1.3
CM5MB	Swivel with Brake	2 ³ / ₄	1.3



Swivel Caster with brake



Swivel Caster

Donut Bumper

- Non-marking rubber bumper revolves to prevent wall damage
- 5" diameter

Model No.	Description	Diameter	
		(In.)	(mm.)
DB5	Revolving Bumper	5	127



Donut Bumper DB5

ACCESSORIES

S-Hooks

- Use two S-Hooks per shelf to continue a run of shelving or in corners
- Provides easier access to corner storage by eliminating posts

Model No.	Description
MCB1C	Plating Plus™
MCB1GN	Green Epoxy



S-Hook
MCB1C

Shelf Support Clips

Model No.	Description
MKIT	4-pack of plastic clips



Shelf Support Clip
MKIT

Post Clamp

- Used to secure two shelving units together to ensure alignment
- One clamp recommended at the front of unit and one at the rear
- Fits all shelving systems

Model No.	Description
PC2	Post Clamp



Post Clamp
PC2

Foot Plate

- Can be used to mount posts permanently to the floor or to mount counter tops to posts.
- One plate required for each post.
- Available in Plating Plus™ finish

Model No.	Description
FP1C	Foot Plate, Plating Plus™



Foot Plate
FP1

Corner Cap

- Covers shelf corners on Add-On Units or wall shelving

Model No.	Description
CHP1C	Corner Cap, Plating Plus™



Corner Cap
CHP1C

Expandable Wine Rack

- Build a wine rack to the bottle capacity desired. The chrome plated wine shelves come in 9 or 12-bottle capacity and install on any of the posts listed below
- Add additional shelves as your wine collection grows
- Shelves install in seconds without the need for tools
- Shelves packed 4 per carton. No broken cartons
- Order posts separately

Wine Shelves


Model No.	W x L (In.)	Bottle Capacity	Wt. (Lbs.)
MW1436C	14 x 36	9	26 ¹ / ₂
MW1448C	14 x 48	12	28 ³ / ₄

Posts

Model No.	Height		Wt.	
	(In.)	(mm.)	(Lbs.)	(Kg.)
MG007C	7	178	¹ / ₂	0.3
MG034C	34	838	2	0.9
MG054C	54	1372	3	1.4
MG064C	64	1626	3 ¹ / ₂	1.6
MG072C	72	1829	4	1.8
MG084C	84	2134	5	2.3



Posts: MG064C
Shelves: MW1448C



Wine Shelf

SECURITY UNITS

Security Carts

- Security carts are a must for safe storage and transportation of goods
- Merchandise can't slip out between closely spaced 2" x 2" wires
- Plated Security units come standard with top and bottom plated shelves, 4 ea. plated 64" posts, 1 set of plated doors, side and back panels. 5" diameter swivel casters are included
- Additional shelves may be ordered separately

Plating Plus™ Model No.	W x L x H (In.)	Wt. (Lbs.) (Kg.)	
LPS1830C	18 x 30 x 69	112	50.8
LPS2430C	24 x 30 x 69	121	54.9
LPS1848C	18 x 48 x 69	165	74.8
LPS2448C	24 x 48 x 69	176	79.8
LPS1860C	18 x 60 x 69	180	81.6
LPS2460C	24 x 60 x 69	192	87.1



LPS1848C
Security Cart
(Shown with ISS CM5P casters)

Utility Carts

- Practical for general material handling
- Model M34836 complete with resilient 4" diameter swivel casters
- All other models come with CM5M 5" diameter swivel resilient non-marking casters

Plating Plus™ Model No.	Green Epoxy Model No.	W x L x H (In.)	Wt. (Lbs.)
2-Shelf Utility Cart			
MUC18302C	MUC18302GN	18 x 30 x 39	37
MUC18362C	MUC18362GN	18 x 36 x 39	40
MUC24362C	MUC24362GN	24 x 36 x 39	47
3-Shelf Utility Cart			
MUC18303C	MUC18303GN	18 x 30 x 39	43
M34836	—	18 x 36 x 38	45
MUC18363C	MUC18363GN	18 x 36 x 39	47
MUC24363C	MUC24363GN	24 x 36 x 39	60



2-Shelf Utility Cart
MUC24362C



3-Shelf Utility Cart
MUC24363C

Utility Cart Handles

- Customize utility cart to meet specific needs
- Fits shelves in 4 widths: 14", 18", 21" and 24"
- Available in Plating Plus™ and Green Epoxy finishes
- Order casters separately. See page 56

Plating Plus™ Model No.	Green Epoxy Model No.	W x H (In.)	Wt. (Lbs.)
UH14C	UH14GN	14 x 32	6
UH18C	UH18GN	18 x 33	6½
UH21C	UH21GN	21 x 32	7
UH24C	UH24GN	24 x 33	7½



Utility Cart Handles

TERMS & CONDITIONS**Order Terms and Conditions**

- Orders can be submitted via EDI, email or fax and are subject to acceptance by the factory.
- Credit card orders are accepted.
- All prices, specifications and discounts are subject to change without notice.
- Payment terms are net 30, unless otherwise stated for established accounts.
- Accounts will be established once satisfactory credit references are confirmed.
- Any applicable federal, state, or local sales tax will be added to the prices.
- We will not break cartons, where applicable.
- Possession of price list does not constitute an offer to sell.

Minimum Orders

- Minimum order is \$150.00 net.
- A \$35.00 service charge may be added for orders less than minimum.

Quotations and Custom Fabrication

- Quotations are valid for 30 days, unless otherwise stated.
- Drawings for custom items must be signed and will be accepted as correct. Any errors arising from same will be the responsibility of the customer.
- Made to order items are not returnable.

FOB Shipping Points

- FOB locations are by brand:
 - AMCO, ISS, LPI, Freestyle: Covington, GA
 - Kelmax: Stone Mountain, GA, Valencia, CA
 - Universal Stainless: Aurora, CO
- We reserve the right to split orders based on the FOB shipping point.

Freight Terms and Conditions

- Freight, service and handling charges are not subject to discount.
- Freight carriers will be chosen by the factory unless Purchase Order specifies customer carrier and includes Prepaid & Add with third party billing address
- While Seller will use all reasonable commercial efforts to maintain the delivery date acknowledged or quoted by the Seller, all shipping dates are approximates.
- We are not responsible for any delays in delivery which are beyond our control such as fires, strikes, floods, delays in transportation or any contingencies of similar character.
- Freight claims for damages are the responsibility of the customer and all claims must be filed by the customer with the carrier promptly.
- All claims for shortages must be brought to our attention within five (5) days from the date the merchandise is received.
- Kelmax Freight Classes are based on descriptions and generalizations provided by the National Motor Freight Traffic Association, January 2007 catalog. These classes are subject to interpretation by shipper and carrier.

Special Handling Charges

- Customers will be billed for trucking company charges that are due to special requests made by the customer, including:
 - Notifying customer before making a delivery
 - Requiring a Lift Gate Truck
 - Making deliveries during specific hours

Return Policy

- The minimum value of returned merchandise must be \$100 net
- Contact the factory for written approval to return merchandise
- Merchandise authorized to be returned must be shipped prepaid and is subject to a 25% restocking charge
- Returned goods must be received within 30 days of purchase
- Returned merchandise must be returned in the original, unopened and resalable packaging.
- All merchandise must have a Return Goods Authorization number to assure proper credit and must be noted on the shipping label and bill of lading.
- Certain products, such as those made to order, are not returnable. Contact Customer Service for the policy concerning specific products.

Cancellations

- Cancellations are not accepted on orders in transit or on custom equipment in production

Warranty

- Contact factory for Warranty information.

Note: Due to continuous product improvements, specifications and prices are subject to change.

EXPECT MORE



STORAGE PRODUCTS GROUP

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)
www.spgusa.com