

Material Handling & Industrial Storage Solutions



STAINLESS STEEL TABLES

EXPECT MORE



STORAGE PRODUCTS GROUP
www.spgusa.com

SPG brings greater organization to your organization with material handling systems from SPG.

Today, more than ever, you need to maximize the value of every square inch of space in your facilities. To achieve this, you need material handling and storage solutions that are efficient, reliable, economical, durable, proven, and designed for maximum safety.

Gillis-Jarke, two of the most trusted brands in the business, offer you all of this and more. All brought to you by SPG, a world leader in material handling and storage solutions, engineering, and innovation.

The stainless steel tables you'll find in this catalog are only a small part of all that SPG offers. In fact, you'll find our Gillis-Jarke products driving greater productivity and profitability in warehouses, factories, distribution centers, and backrooms throughout North America.

For more than half a century, businesses have turned to us for state-of-the-art storage and material handling systems. Today, this same high level of quality, durability, versatility, value, and unequalled service is available to you in the broadest product line on the market.

Working with you, SPG can help you maximize your storage space, protect your goods, manage inventory, enhance the flow of materials, increase accessibility, lower costs, and boost employee efficiency.


Beyond our standard products, SPG has the engineering expertise and manufacturing resources to create custom solutions to your operation's unique material handling and storage challenges.

Or, if you need equipment fast, be sure to look for our "QUICK SHIP" designation on select key products. These items can be shipped within 72 hours to help meet any emergency need.*

You can Expect More from SPG and our Gillis-Jarke line. More performance. More durability. More innovation. More quality. More economy. Everything you need to get more into and out of every square inch of your space. And it all begins with the industry's best stainless steel tables.

To order any product from this catalog, contact your Gillis-Jarke dealer today.

*Subject to inventory levels.



Make fast work out of work with stainless steel work tables that offer you more.

Think about all of the abuse your work tables take. Think about all of the things you do on and to those tables. Then, think about all of the things you put on your tables and store beneath them. When you think about it, a lot is resting on the quality and durability of your tables.

That is why SPG offers you a line of work tables designed to withstand the day-in and day-out punishment of the work-place. Tables that are rugged, reliable, and offer you unique features to enhance their value, expand their capabilities, and increase your productivity.

Just consider some of the advantages of SPG stainless steel work tables

- Most feature an all-welded design and are shipped ready to use—no assembly required
- Our tables feature a square edge design for clean abutment to other equipment

- You can choose a 16-gauge or 14-gauge top
- Our standard products can be easily modified to fit your unique needs (consult factory)
- Our tables are available with either galvanized or stainless bases
- You can add an undershelf to increase your overall storage capacity
- Models are available with a 6" backsplash for all of your unique applications

Expect More...

Corrosion and stain resistance. Durability. Versatility. Reliability. Convenience. If you want to get more work done, do it on work tables that do more. SPG stainless steel tables.



STAINLESS STEEL TABLES

16-GAUGE TABLES

16-Gauge Tables - Flat Top with 304 Stainless Steel Base

All units are 304 Stainless Steel (some underparts are galvanized).
KD-Units: Ship knock-down with easy-to-assemble twin point locking legs. Set-Up Units: Ship crated for safe transport, easy uncrating and put-in-place assembly. Note: Weight does not include crate on "Set Up Units".

Knock Down Units (KD)

| Table | | with Shelf | No Shelf | with Shelf |
|-----------|-----------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| M16B3036 | MBS16007 | 30 x 36 | 50 | 59 |
| M16B3048 | MBS16008 | 30 x 48 | 60 | 73 |
| M16B3060 | MBS16009 | 30 x 60 | 70 | 83 |
| M16B3072 | MBS16010 | 30 x 72 | 80 | 101 |
| M16B3096 | MBS16011 | 30 x 96 | 108 | 137 |
| M16B30120 | MBS16012 | 30 x 120 | 128 | 165 |

Set Up Units

| Table | | with Shelf | No Shelf | with Shelf |
|-----------|-----------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| 3SLC-30 | 3SLS-30 | 30 x 36 | 90 | 110 |
| 4SLC-30 | 4SLS-30 | 30 x 48 | 100 | 120 |
| 5SLC-30 | 5SLS-30 | 30 x 60 | 105 | 130 |
| 6SLC-30 | 6SLS-30 | 30 x 72 | 120 | 140 |
| 8SLC-30 | 8SLS-30 | 30 x 96 | 160 | 200 |
| 9SLC-30 | 9SLS-30 | 30 x 108 | 175 | 215 |



5SLS-30

14-Gauge Tables- Flat Top with 304 Stainless Steel Base

Knock Down Units (KD)

| Table | | with Shelf | No Shelf | with Shelf |
|-----------|-----------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| M14B3036 | MBS14007 | 30 x 36 | 56 | 69 |
| M14B3048 | MBS14008 | 30 x 48 | 68 | 80 |
| M14B3060 | MBS14009 | 30 x 60 | 79 | 96 |
| M14B3072 | MBS14010 | 30 x 72 | 91 | 112 |
| M14B3096 | MBS14011 | 30 x 96 | 123 | 151 |
| M14B30120 | MBS14012 | 30 x 120 | 146 | 183 |

Set Up Units

| Table | | with Shelf | No Shelf | with Shelf |
|-------------|-------------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| 3-SL-SLC-30 | 3-SL-SLS-30 | 30 x 36 | 105 | 115 |
| 4-SL-SLC-30 | 4-SL-SLS-30 | 30 x 48 | 120 | 120 |
| 5-SL-SLC-30 | 5-SL-SLS-30 | 30 x 60 | 130 | 130 |
| 6-SL-SLC-30 | 6-SL-SLS-30 | 30 x 72 | 140 | 140 |
| 8-SL-SLC-30 | 8-SL-SLS-30 | 30 x 96 | 200 | 200 |
| 9-SL-SLC-30 | 9-SL-SLS-30 | 30 x 108 | 220 | 220 |


16-Gauge Tables with 6" Back Splash and 304 Stainless Steel Base

Knock Down Units (KD)

| Table | with Shelf | | No Shelf | with Shelf |
|------------|------------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| M16RB3036 | MBS16024 | 30 x 36 | 54 | 63 |
| M16RB3048 | MBS16025 | 30 x 48 | 66 | 78 |
| M16RB3060 | MBS16026 | 30 x 60 | 77 | 93 |
| M16RB3072 | MBS16027 | 30 x 72 | 88 | 109 |
| M16RB3096 | MBS16028 | 30 x 96 | 119 | 147 |
| M16RB30120 | MBS16029 | 30 x 120 | 141 | 178 |

Set Up Units

| Table | with Shelf | | No Shelf | with Shelf |
|-----------|------------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| 3SLCB-30 | 3SLSB-30 | 30 x 36 | 100 | 110 |
| 4SLCB-30 | 4SLSB-30 | 30 x 48 | 115 | 130 |
| 5SLCB-30 | 5SLSB-30 | 30 x 60 | 145 | 140 |
| 6SLCB-30 | 6SLSB-30 | 30 x 72 | 155 | 165 |
| 8SLCB-30 | 8SLSB-30 | 30 x 96 | 185 | 215 |
| 9SLCB-30 | 9SLSB-30 | 30 x 108 | 200 | 225 |



3-SL-SLCB-30

14-Gauge Tables with 6" Back Splash and 304 Stainless Steel Base

Knock Down Units (KD)

| Table | with Shelf | | No Shelf | with Shelf |
|------------|------------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| M14RB3036 | MBS14024 | 30 x 36 | 61 | 70 |
| M14RB3048 | MBS14025 | 30 x 48 | 74 | 87 |
| M14RB3060 | MBS14026 | 30 x 60 | 88 | 104 |
| M14RB3072 | MBS14027 | 30 x 72 | 101 | 122 |
| M14RB3096 | MBS14028 | 30 x 96 | 136 | 164 |
| M14RB30120 | MBS14029 | 30 x 120 | 162 | 199 |

Set Up Units

| Table | with Shelf | | No Shelf | with Shelf |
|--------------|--------------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| 3-SL-SLCB-30 | 3-SL-SLSB-30 | 30 x 36 | 100 | 110 |
| 4-SL-SLCB-30 | 4-SL-SLSB-30 | 30 x 48 | 115 | 130 |
| 5-SL-SLCB-30 | 5-SL-SLSB-30 | 30 x 60 | 145 | 140 |
| 6-SL-SLCB-30 | 6-SL-SLSB-30 | 30 x 72 | 155 | 165 |
| 8-SL-SLCB-30 | 8-SL-SLSB-30 | 30 x 96 | 185 | 215 |
| 9-SL-SLCB-30 | 9-SL-SLSB-30 | 30 x 108 | 200 | 240 |

STAINLESS STEEL TABLES

16-GAUGE TABLES

16-Gauge Flat Top Tables with Galvanized Base

All units have 304 Stainless Steel Tops.

Knock Down Units (KD)


| Table | with Shelf | No Shelf | with Shelf | |
|-----------|------------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| MG075 | MBSG3036 | 30 x 36 | 49 | 62 |
| MG076 | MBSG3048 | 30 x 48 | 58 | 79 |
| MG077 | MBSG3060 | 30 x 60 | 68 | 94 |
| MG078 | MBSG3072 | 30 x 72 | 82 | 121 |
| MG079 | MBSG3096 | 30 x 96 | 105 | 149 |
| MG080 | MBSG30120 | 30 x 120 | 125 | 180 |



5GLC-30

Set Up Units

| Table | with Shelf | No Shelf | with Shelf | |
|-----------|------------|-------------|------------|------------|
| Model No. | Model No. | W x L (In.) | Wt. (Lbs.) | Wt. (Lbs.) |
| 3GLC-30 | 3GLS-30 | 30 x 36 | 90 | 105 |
| 4GLC-30 | 4GLS-30 | 30 x 48 | 100 | 120 |
| 5GLC-30 | 5GLS-30 | 30 x 60 | 105 | 130 |
| 6GLC-30 | 6GLS-30 | 30 x 72 | 120 | 140 |



5GLS-30

Warranty & Product Suitability

Statement

SPG has made a continuous commitment to quality and service. The content of this catalog reflects the years of experience we have in storage technology. All products shown have practical application potential that will increase your storage and handling of virtually any product.

If none of our standard racks or material handling equipment will solve your unique problem, SPG engineers will study your needs and design a variation to these standards or special equipment to meet your specific requirements. The system we recommend will minimize handling and promote flow through your facility. Behind all the factors considered in design and testing, we have but one simple goal: to make products for people and products pursuant to guidelines established by ANSI (American National Standard Institute), UBC (Uniform Building Code) and RMI (Rack Manufacturers Institute).

Product Suitability

Many states and localities have individual codes and regulations governing sales, construction, installation, and/or use of products for certain purposes, which may vary from those in neighboring areas. SPG cannot guarantee compliance, and can not be responsible for how the product is installed or used. Before purchase and use of a product, please review the product application, and the national and local codes and regulations. Be sure that the product, installation and use will comply with them.

Warranty / Limited Liability

SPG products are fully warranted for one year against defects in design, material and workmanship under normal use except for collision, overloading or improper installation. All products must be installed in accordance with written instructions provided by SPG. Your exclusive remedy and our only liability arising out of any sale shall be the replacement or repair of the goods or refund of the purchase price paid by the buyer, whichever such remedy we select. Any replacement, repair or return must have written authorization before any action is taken. If we elect to repay the purchase price, a written authorization will be issued and the goods must be returned immediately. Any exception to this policy must be agreed to in writing by an officer of SPG.

Terms & Conditions

Terms & Credit

NET 30 days. All prices are F.O.B. Factory. All purchases are subject to a credit review. Credit review may delay production and/or shipping schedules.

Freight and Routing

All shipments are F.O.B. factory. When a carrier has not been specified, we will route shipment in the best way. With prepaid third party shipments, the third party's discount will apply. Customer pick-ups must be made within three days of notification of completion.

Returns

It is the responsibility of the consignee or his representative to check shipments against the bill of lading or packing list. If damaged or short, indicate on the delivery receipt the extent of the shortage or damage. A claim for damage or shortage cannot be processed if the delivery receipt is signed without exception. Stock product can be returned within 30 days when authorized in writing by SPG and return freight charges are prepaid. There will be a 25% restocking charge. Made-to order and used products cannot be returned.

Cancellation

SPG reserves the right to apply reasonable charges for material and labor performed prior to the cancellation of any order. A formal acknowledgement of these charges will be sent by SPG after notice of cancellation is received.

Minimum Order Quantity

Stock items can be ordered in any quantity, \$25 minimum. Orders for made-to-order items in quantities less than the minimum quantity shown in this price list will be subject to an additional set-up charge based on type of equipment. Call factory for setup charges.

Delivery

Stock items can usually be shipped within 2 weeks. Delivery of made-to-order and non-stock items will be scheduled based on receipt of order and/or approved drawings, when applicable.

EXPECT MORE



STORAGE PRODUCTS GROUP

SPG International, LLC
11230 Harland Drive NE
Covington, GA 30014
877-503-4SPG (4774)

Gillis/Jarke Manufacturing
800-225-5424

www.spgusa.com